

TM-75 Load Charge Objects (ZPTA030)

Purpose

The purpose of this Business Process Procedure is to explain how to load charge objects in the Integrated HR-Payroll System.

Trigger

An agency has a need to record and report on time entries related to agency specific charge objects.

Business Process Procedure Overview

In the Integrated HR-Payroll System, an agency may choose to report time related to agency specific charge objects. If there is a need to report work hours for a certain project or projects, unique charge objects for the project can be loaded into the Integrated HR-Payroll System. The charge objects are then available to report time against in transaction CAT2 or ESS. Reports can also be run to total hours reported against specific charge objects using transaction CATS_DA. Charge objects can be created at the position or organizational unit level.

Transaction ZPTA030 is used to load charge objects in the Integrated HR-Payroll System. ZPTA030 accepts a text file and uses the file to populate the Charge Object Assignment Infotype for an Org Unit or Position. ZPTA030 is only used to load new charge objects. Maintenance of pre-existing Charge Object Assignments is performed in transaction PO10 or PO13.

An individual assigned the Charge Object Maintainer role will have the ability to load charge object assignments using transaction ZPTA030.

This BPP will detail:

- Uploading the Charge Object Assignments into the Integrated HR-Payroll System
- Creating the text file for upload in the Integrated HR-Payroll System

The column layout for the upload file is:

- 1 char ID of O = Org Unit or S = Position
- Object ID number
- 10 char Valid From date MM/DD/YYYY
- 10 char Valid To date MM/DD/YYYY
- 12 char Charge Object abbreviation
- 40 char Charge Object description
- 12 char Activity abbreviation
- 40 char Activity description
- 12 char Element abbreviation
- 40 char Element description
- 12 char Sub-element abbreviation
- 40 char Sub-element description

Charge Object Maintainers can upload a file from local PC or from server directory. The file must be saved as a “tab delimited” text file.

This process creates an infotype 9015 record. Check this record using transaction code PP01, enter the infotype 9015 and the personnel number of the individual. Click the Overview button to view the charge object assignment details.


Access Transaction Via Transaction Code: ZPTA030

Procedure

There are 5 steps to complete this process.

SAP Easy Access

Image



Step 1. Update the following **required** and **optional** fields:

Field Name	Description	Values
Command	White alphanumeric box in upper left corner used to input transaction codes	Enter value in Command. Example: ZPTA030

Step 2. Click **Enter**.


Step 3. Click the **PC file (run online)** matchcode.

Image

The screenshot shows a SAP dialog box titled "Update 9015 records from file." The dialog has a menu button and a dropdown arrow. Below the title bar, there is a section titled "File name with path" containing two radio buttons: "PC file (run online)" (selected) and "Unix File (run background)". To the right of the "PC file (run online)" radio button is a text input field with a copy icon. Below the "Unix File (run background)" radio button is another text input field. The dialog also features a toolbar with icons for save, back, forward, cancel, print, and a green checkmark.

A pop-up will display warning you that that "The Application wants to upload a file to the SAP system". Click **OK**.


Image



Information: After clicking OK, the OPEN pop-up window displays. Navigate through the file structure to the location where the desired upload file is stored. In this example, the desired file is stored on the Desktop and titled " Charge Object _OSC_2025".

Step 4. Select **Charge Object _OSC_2025** in the list box.

Image



Step 5. Click **Open**.

Ensure the desired file was selected by double checking the file path and file name displayed.

Image

Update 9015 records from file.

Menu      

File name with path

☒ PC file (run online)

☐ Unix File (run background)

Click **Execute (F8)**.

The results screen displays the statistics of the upload. Scroll down on the results screen to view additional information about any identified errors.

Image

Update 9015 records from file.

Menu       

Transaction: ZPTA030
System : EIT 802
Crt'd By : INPAULM20

NORTH CAROLINA OFFICE OF THE STATE CONTROLLER
Upload 9015 with charge objects

Date : 20250203
Time : 105221
Page : 1

Count of records : 36
Count of errors : 36

Update 9015 records from file.

Menu       

Transaction: ZPTA030
System : EIT 802
Crt'd By : INPAULM20

NORTH CAROLINA OFFICE OF THE STATE CONTROLLER
Upload 9015 with charge objects

Date : 20250203
Time : 112826
Page : 2

Object	Obj ID	Reg date	End date	Charge Obj	Activity	Element	Sub Element	Message
Charge Object Upload Source File								
ID	From Date	To Date	Charge Object	Activity	AbbrElement	AbbrevSub-Element	Abbr	Charge Object short text should not be more than 12 characters
0	20000027	1/1/2025	12/31/9999	DFR	2050	0000	G000	Charge Object short text should not be more than 12 characters
0	20000027	1/1/2025	12/31/9999	New Proj Req				Enter date in the format __/__/____

Charge Object Assignment Template

An [Excel \(.xls\) template](#) is available on the OSC Training help site that can be used when creating the Charge Object Assignment load file. The .xls template must be in the proper format and then saved as a .txt for the upload in transaction ZPTA030 to be successful.

To Save as a .TXT File, there are 7 steps to complete this process.

Step 1. Select **File**.

Step 2. Select **Save As**.

Step 3. Rename your **Charge Object** file.

Step 4. Select the **File Type** drop-down menu.

Step 5. Choose **Text (Tab delimited)(*.txt)**.

Image

↑ Downloads

TM-08_Charge_Object_Upload_Source_File.2.18.25

Excel Workbook (*.xlsx)

Excel Workbook (*.xlsx)

Excel Macro-Enabled Workbook (*.xlsm)

Excel Binary Workbook (*.xlsb)

Excel 97-2003 Workbook (*.xls)

CSV UTF-8 (Comma delimited) (*.csv)

XML Data (*.xml)

Single File Web Page (*.mht, *.mhtml)

Web Page (*.htm, *.html)

Excel Template (*.xltx)

Excel Macro-Enabled Template (*.xltm)

Excel 97-2003 Template (*.xlt)

Text (Tab delimited) (*.txt)

Unicode Text (*.txt)

XML Spreadsheet 2003 (*.xml)

Microsoft Excel 5.0/95 Workbook (*.xls)

CSV (Comma delimited) (*.csv)

Formatted Text (Space delimited) (*.prn)

Text (Macintosh) (*.txt)

Text (MS-DOS) (*.txt)

CSV (Macintosh) (*.csv)

CSV (MS-DOS) (*.csv)

DIF (Data Interchange Format) (*.dif)

SYLK (Symbolic Link) (*.slk)

Excel Add-in (*.xlam)

Excel 97-2003 Add-in (*.xla)

PDF (*.pdf)

XPS Document (*.xps)

Strict Open XML Spreadsheet (*.xlsx)

OpenDocument Spreadsheet (*.ods)

Save

Communications
processes,

Step 6. Change the **file location** if necessary.

Step 7. Select **Save**.

First Published

Tue, 04/09/2013

Last Updated

Fri, 03/06/2026

[View PDF](#)